



Air Conditioning Hose Crimping Machine

Technical Specification

Introduction

This kind of hose crimping machine is designed for special hose joints. The machine is half open structure, it can withstand various of complicated curved hose joints or pipeline, especially suitable for withstand automotive air conditioning pipe of type U, type L and type J. This kind of machine is more simple operation, efficiency and high repeat precision.



ADD: West industrial Zone, Jing County, Hengshui City, Hebei Province, China.


Mobile:+86-18632062856; Tel: +86-318-6668206; Fax: +86-318-6668207

E-mail: tina@hebeiqianli.com

Web: www.hosecrimpingmachinery.com

Features

- It is side opening design, so it is suitable for non-standard pipeline.
- It is high speed crimping and high efficiency.
- It is intelligence, precise and easy controlling system.



ADD: West industrial Zone, Jing County, Hengshui City, Hebei Province, China.

Mobile:+86-18632062856; Tel: +86-318-6668206; Fax: +86-318-6668207

E-mail: tina@hebeiqianli.com

Web: www.hosecrimpingmachinery.com



Technical Data

Crimp Force	340 T
Crimp Range	1/8" – 5/8"
Opening without dies	50 mm
Opening	≥ 10 mm
Systematic Pressure	12 MPa
Voltage&Motor	380 V / 50 Hz / 3 kW
No. of Standard die set	4
Weight	320 kg
L-W-G	720 × 580 × 1020 mm



ADD: West industrial Zone, Jing County, Hengshui City, Hebei Province, China.

Mobile:+86-18632062856; Tel: +86-318-6668206; Fax: +86-318-6668207

E-mail: tina@hebeiqianli.com

Web: www.hosecrimpingmachinery.com